

Appl. No. 09/902,563
Response Dated July 29, 2004



BIFW ✓

Confirmation No.: 4438

Appl. No : 09/902,563
Applicant : Gary Levy
Filed : July 12, 2001
Title : Methods of Modulating Immune Coagulation
TC./A.U. : 1644
Examiner : Maher M. Haddad

Docket No. : 9579-37
Customer No. : 001059

DATE OF ALLOWANCE: November 25, 2003

Honorable Commissioner for Patents
Mail Stop Issue Fee
P. O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The present letter is filed in response to the Notice of Drawing Inconsistency with Specification dated July 1, 2004 (copy attached). Please find enclosed Figures 8A, 8B, 9A and 9B for the above-referenced patent application. Applicant submits that no new matter is included in the attached figures and their entry is respectfully requested.

Please do not hesitate to contact the undersigned if anything further is required.

If there are any fees due in connection with the filing of this response, please charge it to our Deposit Account No. 02-2095.

Respectfully submitted,

BERESKIN & PARR

By 

Micheline Gravelle
Reg. No. 40,261

Bereskin & Parr
Box 401, 40 King Street West
Toronto, Ontario
Canada M5H 3Y2
Tel: 416-957-1682
Fax: 416-361-1398

Attachments



UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

JUL 08 2004

BERESKIN & PARR

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/902,563	07/12/2001	Gary Levy	9579-37	4438

7590 07/01/2004

MICHELINE GRAVELLE

Bereskin & Parr
40 King Street West
Toronto, ON M5H 3Y2
CANADA

EXAMINER

HADDAD, MAHER M

ART UNIT

PAPER NUMBER

1644

DATE MAILED: 07/01/2004



Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 01-16-02 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 8a,b 9a,b are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 8, 9 are contained in the Drawings.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)** *Rebut Aug 1, 2004 JWS*

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101

FORM PTO-1631 (REV. 10-03)